

Consumer packaging



Content

Wood


Chipboard Screw Countersunk Head Fullthread	4
Chipboard Screw Countersunk Head Partial Thread	5
StarDrive Fullthread	6
StarDrive Partial Thread	7
StarDrive Panhead	8
Quick-Constructing Plate Screw	10
Hex Head Wood Screws DIN 571	10

Metal

Drill-Screw DIN 7504-N	12
Drill-Screw DIN 7504-P	14

Metric

Carriage Bolts DIN 603	15
Hex Head Bolts DIN 931	17
Hex Bolts DIN 933	19
Socket Head Screw DIN 912	21
Machine Screws DIN 965	22
Machine Screws DIN 7985	23
Threaded Rods DIN 975	24



Content

Accessories



Rod Coupling Nuts DIN 6334	24
Lock Washers DIN 127	25
Flat Washers DIN 134	25
Square Washers DIN 436	26
Flat Washers for Timber Construction DIN 440R	26
Flat Washers DIN 9021	27
Fender Washers	27
Hex Nuts DIN 934	28
Wing Nuts DIN 315	28
Lock Nuts DIN 985	29
Cap Nuts DIN 1587	29
Bit for StarDrive Pe-Packing	30
Magnetic Ringbit Holder	30



Chipboard Screw Countersunk Head Fullthread

cross recess - type Z, countersunk head, single thread, 20° tip,
hardened, slide coating
from length 40 mm according to EN 14592

zinc plated




dimensions		drive	pcs./ unit	SSH item no.	EAN
d [mm]	L [mm]				
3.0	12	PZ 1	200	1117710300120202	9002715102650
	16	PZ 1	200	1117710300160202	9002715102711
	20	PZ 1	200	1117710300200202	9002715102759
	25	PZ 1	200	1117710300250202	9002715102780
	30	PZ 1	200	1117710300300202	9002715102803
	35	PZ 1	200	1117710300350202	9002715102827
	40	PZ 1	200	1117710300400202	9002715166560
3.5	16	PZ 2	200	1117710350160202	9002715102902
	20	PZ 2	200	1117710350200202	9002715102940
	25	PZ 2	200	1117710350250202	9002715102964
	30	PZ 2	200	1117710350300202	9002715102988
	35	PZ 2	200	1117710350350202	9002715103015
	40	PZ 2	200	1117710350400202	9002715742221
4.0	16	PZ 2	200	1117710400160202	9002715103077
	20	PZ 2	200	1117710400200202	9002715103091
	25	PZ 2	200	1117710400250202	9002715103114
	30	PZ 2	200	1117710400300202	9002715103145
	35	PZ 2	200	1117710400350202	9002715103176
	40	PZ 2	200	1117710400400202	9002715103206
	45	PZ 2	200	1117710400450202	9002715103237
	50	PZ 2	200	1117710400500202	9002715103268

Chipboard Screw Countersunk Head Partial Thread

cross recess - type Z, countersunk head, single thread 20° tip,
hardened, slide coating
from length 40 mm according to EN 14592

 zinc plated




dimensions		drive	pcs./ unit	SSH item no.	EAN	
d [mm]	L [mm]					
3.0	45	PZ 1	200	1217710300450202	9002715106566	9 002715 106566 >
	30	PZ 2	200	1217710350300202	9002715106580	9 002715 106580 >
3.5	35	PZ 2	200	1217710350350202	9002715106610	9 002715 106610 >
	40	PZ 2	200	1217710350400202	9002715106634	9 002715 106634 >
	45	PZ 2	200	1217710350450202	9002715244664	9 002715 244664 >
	50	PZ 2	200	1217710350500202	9002715106658	9 002715 106658 >
4.0	40	PZ 2	200	1217710400400202	9002715106719	9 002715 106719 >
	50	PZ 2	200	1217710400500202	9002715106757	9 002715 106757 >
	60	PZ 2	200	1217710400600202	9002715106795	9 002715 106795 >
	70	PZ 2	100	1217710400700202	9002715262828	9 002715 262828 >

StarDrive Fullthread

Stardrive, countersunk head, single thread,
20° tip, hardened, slide coating
from length 40 mm according to EN 14592

 yellow galvanised



dimensions		drive	pcs./ unit	SSH item no.	EAN
d [mm]	L [mm]				
3.0	16	T10	200	1137740300160202	9 002715247641 >
	20	T10	200	1137740300200202	9 002715248037 >
	25	T10	200	1137740300250202	9 002715248044 >
	30	T10	200	1137740300300202	9 002715248051 >
	35	T10	200	1137740300350202	9 002715272544 >
	40	T10	200	1137740300400202	9 002715272551 >
3.5	16	T15*)	200	1137740350160202	9 002715248068 >
	20	T15*)	200	1137740350200202	9 002715248075 >
	25	T15*)	200	1137740350250202	9 002715248082 >
	30	T15*)	200	1137740350300202	9 002715248099 >
	35	T15*)	200	1137740350350202	9 002715248112 >
4.0	16	T20	200	1137740400160202	9 002715248150 >
	20	T20	200	1137740400200202	9 002715248167 >
	25	T20	200	1137740400250202	9 002715248174 >
	30	T20	200	1137740400300202	9 002715248181 >
	35	T20	200	1137740400350202	9 002715248198 >
	40	T20	200	1137740400400202	9 002715248211 >
	45	T20	200	1137740400450202	9 002715248235 >
	50	T20	200	1137740400500202	9 002715248259 >
4.5	20	T25**)	100	1137740450200202	9 002715248297 >
	25	T25**)	100	1137740450250202	9 002715248303 >
	30	T25**)	100	1137740450300202	9 002715248310 >
5.0	20	T25	100	1137740500200202	9 002715248389 >
	25	T25	100	1137740500250202	9 002715248396 >
	30	T25	100	1137740500300202	9 002715248402 >
	35	T25	100	1137740500350202	9 002715248419 >
	40	T25	100	1137740500400202	9 002715248426 >


*) ongoing transformation from T10 to T15

**) ongoing transformation from T20 to T25

StarDrive Partial Thread

Stardrive, countersunk head, single thread,
20° tip, hardened, slide coating
from length 40 mm according to EN 14592

 yellow galvanised



dimensions		drive	pcs./ unit	SSH item no.	EAN	
d [mm]	L [mm]					
3.0	45	T10	200	1237740300450202	9002715272568	9 002715 272568 >
3.5	30	T15*)	200	1237740350300202	9002715248105	9 002715 248105 >
	35	T15*)	200	1237740350350202	9002715248129	9 002715 248129 >
	40	T15*)	200	1237740350400202	9002715248136	9 002715 248136 >
	45	T15*)	200	1237740350450202	9002715439855	9 002715 439855 >
	50	T15*)	200	1237740350500202	9002715248143	9 002715 248143 >
4.0	35	T20	200	1237740400350202	9002715248204	9 002715 248204 >
	40	T20	200	1237740400400202	9002715248228	9 002715 248228 >
	45	T20	200	1237740400450202	9002715248242	9 002715 248242 >
	50	T20	200	1237740400500202	9002715248266	9 002715 248266 >
	60	T20	200	1237740400600202	9002715248273	9 002715 248273 >
	70	T20	100	1237740400700202	9002715262804	9 002715 262804 >
4.5	35	T25**)	100	1237740450350202	9002715248327	9 002715 248327 >
	40	T25**)	100	1237740450400202	9002715248334	9 002715 248334 >
	45	T25**)	100	1237740450450202	9002715262262	9 002715 262262 >
	50	T25**)	100	1237740450500202	9002715248341	9 002715 248341 >
	60	T25**)	100	1237740450600202	9002715248358	9 002715 248358 >
	70	T25**)	100	1237740450700202	9002715248365	9 002715 248365 >
	80	T25**)	100	1237740450800202	9002715248372	9 002715 248372 >
5.0	50	T25	100	1237740500500202	9002715248433	9 002715 248433 >
	60	T25	100	1237740500600202	9002715248440	9 002715 248440 >
	70	T25	100	1237740500700202	9002715248457	9 002715 248457 >
	80	T25	100	1237740500800202	9002715248464	9 002715 248464 >
	90	T25	50	1237740500900202	9002715275644	9 002715 275644 >
	100	T25	50	1237740501000202	9002715275651	9 002715 275651 >
	120	T25	50	1237740501200202	9002715275668	9 002715 275668 >

*) ongoing transformation from T10 to T15

**) ongoing transformation from T20 to T25

>> StarDrive Partial Thread




dimensions		drive	pcs./ unit	SSH item no.	EAN
d [mm]	L [mm]				
6.0	50	T30	100	1237740600500202	9002715248488
	60	T30	100	1237740600600202	9002715248495
	70	T30	100	1237740600700202	9002715248501
	80	T30	50	1237740600800202	9002715262811
	90	T30	50	1237740600900202	9002715248525
	100	T30	50	1237740601000202	9002715248532
	120	T30	50	1237740601200202	9002715248549
	140	T30	50	1237740601400202	9002715269216
	160	T30	50	1237740601600202	9002715269223
	180	T30	50	1237740601800202	9002715274791
	200	T30	50	1237740602000202	9002715274807

StarDrive Panhead

StarDrive, Panhead, single thread, 20° tip, hardened, slide coating from length 40 mm according to EN 14592

zinc plated



dimensions		drive	pcs./ unit	SSH item no.	EAN
d [mm]	L [mm]				
3.0	12	T10	200	1136710300120202	9002715705004
	16	T10	200	1136710300160202	9002715705011
	20	T10	200	1136710300200202	9002715705028
	25	T10	200	1136710300250202	9002715705035
	30	T10	200	1136710300300202	9002715705042
3.5	16	T10	200	1136710350160202	9002715705066
	20	T10	200	1136710350200202	9002715705073


>> StarDrive Panhead




dimensions		drive	pcs./ unit	SSH item no.	EAN
d [mm]	L [mm]				
3.5	25	T10	200	1136710350250202	9 002715 705080 >
	30	T10	200	1136710350300202	9 002715 705097 >
4.0	16	T20	200	1136710400160202	9 002715 705103 >
	20	T20	200	1136710400200202	9 002715 705110 >
	25	T20	200	1136710400250202	9 002715 705127 >
	30	T20	200	1136710400300202	9 002715 705134 >
	35	T20	200	1136710400350202	9 002715 705141 >
	40	T20	200	1136710400400202	9 002715 705158 >
	50	T20	200	1136710400500202	9 002715 705165 >
4.5	20	T20	100	1136710450200202	9 002715 705172 >
	25	T20	100	1136710450250202	9 002715 705189 >
	30	T20	100	1136710450300202	9 002715 705196 >
	35	T20	100	1136710450350202	9 002715 705202 >
	40	T20	100	1136710450400202	9 002715 705219 >
5.0	20	T25	100	1136710500200202	9 002715 705226 >
	25	T25	100	1136710500250202	9 002715 705233 >
	30	T25	100	1136710500300202	9 002715 705240 >
	35	T25	100	1136710500350202	9 002715 705257 >
	40	T25	100	1136710500400202	9 002715 705264 >
	50	T25	100	1136710500500202	9 002715 705271 >
	60	T25	100	1136710500600202	9 002715 705288 >
	70	T25	100	1136710500700202	9 002715 705295 >
	80	T25	100	1136710500800202	9 002715 705301 >
6.0	40	T25	100	1136710600400202	9 002715 705318 >
	50	T25	100	1136710600500202	9 002715 705325 >
	60	T25	100	1136710600600202	9 002715 705332 >
	70	T25	100	1136710600700202	9 002715 705349 >
	80	T25	50	1136710600800202	9 002715 705356 >

Quick-Constructing Plate Screw

Cross recess, type Z, trumpet head,
double thread, carbonitrided

 manganese phosphate




dimensions		drive	pcs./ unit	SSH item no.	EAN	
d [mm]	L [mm]					
3.9	25	PH 2	200	8182630390250202	9002715183956	9 002715 183956 >
	35	PH 2	200	8182630390350202	9002715183963	9 002715 183963 >
	45	PH 2	200	8182630390450202	9002715238250	9 002715 238250 >
	55	PH 2	100	8182630390550202	9002715183987	9 002715 183987 >

Hex Head Wood Screws DIN 571


































Hex drive, steel

 zinc plated



dimensions		drive [mm]	pcs./ unit	SSH item no.	EAN	
d [mm]	L [mm]					
6.0	30	SW 10	100	0571410600300202	9002715247665	9 002715 247665 >
	40	SW 10	100	0571410600400202	9002715247689	9 002715 247689 >
	50	SW 10	100	0571410600500202	9002715247702	9 002715 247702 >
	60	SW 10	50	0571410600600202	9002715247719	9 002715 247719 >
	70	SW 10	50	0571410600700202	9002715247726	9 002715 247726 >
	80	SW 10	50	0571410600800202	9002715247733	9 002715 247733 >
	90	SW 10	50	0571410600900202	9002715247740	9 002715 247740 >
	100	SW 10	50	0571410601000202	9002715247757	9 002715 247757 >
	120	SW 10	50	0571410601200202	9002715247764	9 002715 247764 >

>> Hex Head Wood Screws DIN 571

dimensions		drive [mm]	pcs./ unit	SSH item no.	EAN
d [mm]	L [mm]				
8.0	30	SW 13	100	0571410800300202	9002715247788 
	40	SW 13	100	0571410800400202	9002715247801 
	50	SW 13	100	0571410800500202	9002715247825 
	60	SW 13	50	0571410800600202	9002715247832 
	70	SW 13	50	0571410800700202	9002715247849 
	80	SW 13	50	0571410800800202	9002715247856 
	90	SW 13	50	0571410800900202	9002715247863 
	100	SW 13	50	0571410801000202	9002715247870 
	120	SW 13	50	0571410801200202	9002715247887 
	140	SW 13	50	0571410801400202	9002715267861 
	160	SW 13	50	0571410801600202	9002715267878 
	180	SW 13	25	0571410801800202	9002715271752 
	200	SW 13	25	0571410802000202	9002715271769 
10.0	40	SW 17	50	0571411000400202	9002715247894 
	50	SW 17	50	0571411000500202	9002715247900 
	60	SW 17	50	0571411000600202	9002715247917 
	70	SW 17	50	0571411000700202	9002715247924 
	80	SW 17	50	0571411000800202	9002715247931 
	90	SW 17	25	0571411000900202	9002715247948 
	100	SW 17	25	0571411001000202	9002715251600 
	120	SW 17	25	0571411001200202	9002715247962 
	140	SW 17	25	0571411001400202	9002715267885 
	160	SW 17	25	0571411001600202	9002715267892 
	180	SW 17	25	0571411001800202	9002715267908 
12.0	60	SW 19	25	0571411200600202	9002715247979 
	70	SW 19	25	0571411200700202	9002715247986 
	80	SW 19	25	0571411200800202	9002715247993 
	90	SW 19	25	0571411200900202	9002715248006 
	100	SW 19	25	0571411201000202	9002715248013 
	120	SW 19	25	0571411201200202	9002715251488 
	140	SW 19	25	0571411201400202	9002715267922 
	160	SW 19	25	0571411201600202	9002715267939 
	180	SW 19	25	0571411201800202	9002715267946 

>> Hex Head Wood Screws DIN 571




dimensions		drive s [mm]	pcs./ unit	SSH item no.	EAN	
d [mm]	L [mm]					
12	200	SW 19	25	0571411202000202	9002715267953	9 002715 267953 >
	220	SW 19	10	0571411202200202	9002715270878	9 002715 270878 >
	240	SW 19	10	0571411202400202	9002715270892	9 002715 270892 >
	260	SW 19	10	0571411202600202	9002715270908	9 002715 270908 >
	280	SW 19	10	0571411202800202	9002715270922	9 002715 270922 >
	300	SW 19	10	0571411203000202	9002715270939	9 002715 270939 >

Drill-Screw DIN 7504-N

cross recess, type H, Panhead, drill-bit, de-embrittled

 zinc plated



dimensions		drive	pcs./ unit	SSH item no.	EAN	
d [mm]	L [mm]					
2.9	9.5	PH 1	200	7586610290090202	9002715645225	9 002715 645225 >
	13	PH 1	200	7586610290130202	9002715645959	9 002715 645959 >
	16	PH 1	200	7586610290160202	9002715645966	9 002715 645966 >
	19	PH 1	200	7586610290190202	9002715649780	9 002715 649780 >
3.5	9.5	PH 2	200	7586610350090202	9002715645973	9 002715 645973 >
	13	PH 2	200	7586610350130202	9002715645980	9 002715 645980 >
	16	PH 2	200	7586610350160202	9002715645997	9 002715 645997 >
	19	PH 2	200	7586610350190202	9002715646000	9 002715 646000 >
	22	PH 2	200	7586610350220202	9002715646017	9 002715 646017 >
	25	PH 2	200	7586610350250202	9002715646024	9 002715 646024 >
	32	PH 2	200	7586610350320202	9002715646031	9 002715 646031 >

>> Drill-Screw DIN 7504-N




dimensions		drive	pcs./ unit	SSH item no.	EAN
d [mm]	L [mm]				
3.9	9.5	PH 2	200	7586610390090202	9 002715 646048 >
	13	PH 2	200	7586610390130202	9 002715 646055 >
	16	PH 2	200	7586610390160202	9 002715 646062 >
	19	PH 2	200	7586610390190202	9 002715 646079 >
	22	PH 2	200	7586610390220202	9 002715 646086 >
	25	PH 2	200	7586610390250202	9 002715 646093 >
	32	PH 2	200	7586610390320202	9 002715 646109 >
	38	PH 2	200	7586610390380202	9 002715 646116 >
4.2	13	PH 2	100	7586610420130202	9 002715 646123 >
	16	PH 2	100	7586610420160202	9 002715 646130 >
	19	PH 2	100	7586610420190202	9 002715 646154 >
	22	PH 2	100	7586610420220202	9 002715 646161 >
	25	PH 2	100	7586610420250202	9 002715 646178 >
	32	PH 2	100	7586610420320202	9 002715 646185 >
	38	PH 2	100	7586610420380202	9 002715 646192 >
4.8	13	PH 2	100	7586610480130202	9 002715 646208 >
	16	PH 2	100	7586610480160202	9 002715 646215 >
	19	PH 2	100	7586610480190202	9 002715 646222 >
	22	PH 2	100	7586610480220202	9 002715 646239 >
	25	PH 2	100	7586610480250202	9 002715 646246 >
	32	PH 2	100	7586610480320202	9 002715 646253 >
	38	PH 2	100	7586610480380202	9 002715 646260 >
	50	PH 2	100	7586610480500202	9 002715 646277 >

Drill-Screw DIN 7504-P

cross recess - type H, countersunk head, drill-bit, de-embrittled

 zinc plated




dimensions		drive	pcs./ unit	SSH item no.	EAN
d [mm]	L [mm]				
2.9	13	PH 1	200	7587610290130202	9 002715 646284 >
	16	PH 1	200	7587610290160202	9 002715 646291 >
	19	PH 1	200	7587610290190202	9 002715 650632 >
3.5	13	PH 2	200	7587610350130202	9 002715 646314 >
	16	PH 2	200	7587610350160202	9 002715 646321 >
	19	PH 2	200	7587610350190202	9 002715 646338 >
	25	PH 2	200	7587610350250202	9 002715 646352 >
	32	PH 2	200	7587610350320202	9 002715 646369 >
3.9	13	PH 2	200	7587610390130202	9 002715 646383 >
	16	PH 2	200	7587610390160202	9 002715 646390 >
	19	PH 2	200	7587610390190202	9 002715 646406 >
	22	PH 2	200	7587610390220202	9 002715 646413 >
	25	PH 2	200	7587610390250202	9 002715 646420 >
	32	PH 2	200	7587610390320202	9 002715 646437 >
	38	PH 2	200	7587610390380202	9 002715 646444 >
4.2	16	PH 2	100	7587610420160202	9 002715 646468 >
	19	PH 2	100	7587610420190202	9 002715 646475 >
	25	PH 2	100	7587610420250202	9 002715 646499 >
	32	PH 2	100	7587610420320202	9 002715 646505 >
	38	PH 2	100	7587610420380202	9 002715 646512 >
4.8	16	PH 2	100	7587610480160202	9 002715 646536 >
	19	PH 2	100	7587610480190202	9 002715 646543 >
	25	PH 2	100	7587610480250202	9 002715 646567 >
	32	PH 2	100	7587610480320202	9 002715 646574 >
	38	PH 2	100	7587610480380202	9 002715 646581 >
	50	PH 2	100	7587610480500202	9 002715 646598 >

Carriage Bolts DIN 603

Self-locking square neck, without nut, steel

 zinc plated



dimensions		d4	pcs./ unit	SSH item no.	EAN	
Size	L [mm]					
M5	20	5.48	100	0603410500200202	9002715247184	9 002715 247184 >
	25	5.48	100	0603410500250202	9002715247207	9 002715 247207 >
	30	5.48	100	0603410500300202	9002715247214	9 002715 247214 >
	35	5.48	100	0603410500350202	9002715247221	9 002715 247221 >
	40	5.48	100	0603410500400202	9002715247238	9 002715 247238 >
	50	5.48	100	0603410500500202	9002715247252	9 002715 247252 >
	60	5.48	100	0603410500600202	9002715247269	9 002715 247269 >
M6	20	6.48	100	0603410600200202	9002715247283	9 002715 247283 >
	25	6.48	100	0603410600250202	9002715247290	9 002715 247290 >
	30	6.48	100	0603410600300202	9002715247306	9 002715 247306 >
	35	6.48	100	0603410600350202	9002715247313	9 002715 247313 >
	40	6.48	100	0603410600400202	9002715247320	9 002715 247320 >
	45	6.48	100	0603410600450202	9002715247337	9 002715 247337 >
	50	6.48	100	0603410600500202	9002715247344	9 002715 247344 >
	60	6.48	50	0603410600600202	9002715247351	9 002715 247351 >
	70	6.48	50	0603410600700202	9002715247368	9 002715 247368 >
	80	6.48	50	0603410600800202	9002715247375	9 002715 247375 >
	100	6.48	50	0603410601000202	9002715268004	9 002715 268004 >
	120	6.48	50	0603410601200202	9002715268011	9 002715 268011 >
M8	20	8.58	100	0603410800200202	9002715247382	9 002715 247382 >
	25	8.58	100	0603410800250202	9002715247399	9 002715 247399 >
	30	8.58	100	0603410800300202	9002715247405	9 002715 247405 >
	35	8.58	100	0603410800350202	9002715247412	9 002715 247412 >
	40	8.58	100	0603410800400202	9002715247429	9 002715 247429 >
	45	8.58	100	0603410800450202	9002715247436	9 002715 247436 >
	50	8.58	100	0603410800500202	9002715247443	9 002715 247443 >
	60	8.58	50	0603410800600202	9002715247450	9 002715 247450 >
	70	8.58	50	0603410800700202	9002715247467	9 002715 247467 >

>> Carriage Bolts DIN 603




dimensions		d4	pcs./ unit	SSH item no.	EAN
Size	L [mm]				
M8	80	8.58	50	0603410800800202	9002715247474
	90	8.58	50	0603410800900202	9002715247481
	100	8.58	25	0603410801000202	9002715247498
	110	8.58	25	0603410801100202	9002715247504
	120	8.58	25	0603410801200202	9002715247511
	140	8.58	25	0603410801400202	9002715268028
	160	8.58	25	0603410801600202	9002715268035
	180	8.58	20	0603410801800202	9002715271776
	200	8.58	20	0603410802000202	9002715271783
M10	40	10.58	50	0603411000400202	9002715247559
	50	10.58	50	0603411000500202	9002715247566
	60	10.58	50	0603411000600202	9002715247573
	70	10.58	50	0603411000700202	9002715247580
	80	10.58	25	0603411000800202	9002715247597
	90	10.58	25	0603411000900202	9002715247603
	100	10.58	25	0603411001000202	9002715247610
	110	10.58	25	0603411001100202	9002715247627
	120	10.58	25	0603411001200202	9002715247634
	140	10.58	25	0603411001400202	9002715268042
	160	10.58	25	0603411001600202	9002715268059
	180	10.58	25	0603411001800202	9002715268066
	200	10.58	25	0603411002000202	9002715268073
M12	100	12.70	25	0603411201000202	9002715271028
	120	12.70	25	0603411201200202	9002715271035
	140	12.70	10	0603411201400202	9002715271042
	160	12.70	10	0603411201600202	9002715271059
	180	12.70	10	0603411201800202	9002715271066
	200	12.70	10	0603411202000202	9002715271073

Hex Head Bolts DIN 931

outside hex drive, partial thread, steel 8.8

 zinc plated



dimensions		drive [mm]	pcs./ unit	SSH item no.	EAN	
Size	L [mm]					
M5	40	SW 8	100	0931810500400202	9002715271424	9 002715 271424 >
	50	SW 8	100	0931810500500202	9002715271448	9 002715 271448 >
M6	50	SW 10	100	0931810600500202	9002715249553	9 002715 249553 >
	60	SW 10	50	0931810600600202	9002715249577	9 002715 249577 >
	70	SW 10	50	0931810600700202	9002715271462	9 002715 271462 >
	80	SW 10	50	0931810600800202	9002715271479	9 002715 271479 >
	100	SW 10	25	0931810601000202	9002715271486	9 002715 271486 >
M8	50	SW 13	50	0931810800500202	9002715249614	9 002715 249614 >
	60	SW 13	50	0931810800600202	9002715249638	9 002715 249638 >
	70	SW 13	50	0931810800700202	9002715249645	9 002715 249645 >
	80	SW 13	50	0931810800800202	9002715249652	9 002715 249652 >
	90	SW 13	50	0931810800900202	9002715249669	9 002715 249669 >
	100	SW 13	50	0931810801000202	9002715249676	9 002715 249676 >
	120	SW 13	25	0931810801200202	9002715271493	9 002715 271493 >
	140	SW 13	25	0931810801400202	9002715271509	9 002715 271509 >
M10	160	SW 13	20	0931810801600202	9002715271516	9 002715 271516 >
	50	SW 17	50	0931811000500202	9002715249706	9 002715 249706 >
	60	SW 17	25	0931811000600202	9002715249720	9 002715 249720 >
	70	SW 17	25	0931811000700202	9002715249737	9 002715 249737 >
	80	SW 17	25	0931811000800202	9002715249744	9 002715 249744 >
	90	SW 17	25	0931811000900202	9002715249751	9 002715 249751 >
	100	SW 17	25	0931811001000202	9002715249768	9 002715 249768 >
	110	SW 17	25	0931811001100202	9002715249775	9 002715 249775 >
	120	SW 17	25	0931811001200202	9002715249782	9 002715 249782 >
	140	SW 17	10	0931811001400202	9002715271523	9 002715 271523 >
	160	SW 17	10	0931811001600202	9002715271530	9 002715 271530 >
	180	SW 17	10	0931811001800202	9002715271547	9 002715 271547 >
	200	SW 17	10	0931811002000202	9002715271554	9 002715 271554 >

>> Hex Bolts DIN 931




dimensions		drive [mm]	pcs./ unit	SSH item no.	EAN	
Size	L [mm]					
M12	50	SW 19	50	0931811200500202	9002715249805	9 002715 249805 >
	60	SW 19	25	0931811200600202	9002715249812	9 002715 249812 >
	70	SW 19	25	0931811200700202	9002715249829	9 002715 249829 >
	80	SW 19	25	0931811200800202	9002715249836	9 002715 249836 >
	90	SW 19	25	0931811200900202	9002715249843	9 002715 249843 >
	100	SW 19	25	0931811201000202	9002715249850	9 002715 249850 >
	120	SW 19	25	0931811201200202	9002715249874	9 002715 249874 >
	140	SW 19	10	0931811201400202	9002715271561	9 002715 271561 >
	160	SW 19	10	0931811201600202	9002715271578	9 002715 271578 >
	180	SW 19	10	0931811201800202	9002715271585	9 002715 271585 >
	200	SW 19	10	0931811202000202	9002715271592	9 002715 271592 >
M14	60	SW 22	25	0931811400600202	9002715639699	9 002715 639699 >
	70	SW 22	20	0931811400700202	9002715639705	9 002715 639705 >
	80	SW 22	20	0931811400800202	9002715639712	9 002715 639712 >
	90	SW 22	10	0931811400900202	9002715639729	9 002715 639729 >
	100	SW 22	10	0931811401000202	9002715639736	9 002715 639736 >
	120	SW 22	10	0931811401200202	9002715639743	9 002715 639743 >
M16	60	SW 24	25	0931811600600202	9002715249881	9 002715 249881 >
	70	SW 24	20	0931811600700202	9002715249898	9 002715 249898 >
	80	SW 24	20	0931811600800202	9002715249904	9 002715 249904 >
	100	SW 24	10	0931811601000202	9002715249928	9 002715 249928 >
	120	SW 24	10	0931811601200202	9002715249942	9 002715 249942 >
	140	SW 24	10	0931811601400202	9002715271608	9 002715 271608 >
	160	SW 24	10	0931811601600202	9002715271615	9 002715 271615 >
	180	SW 24	10	0931811601800202	9002715271622	9 002715 271622 >
	200	SW 24	10	0931811602000202	9002715271639	9 002715 271639 >

Hex Bolts DIN 933

outside hex drive, full thread, steel 8.8

 zinc plated



dimensions		drive [mm]	pcs./ unit	SSH item no.	EAN	
Size	L [mm]					
M5	16	SW 8	100	0933810500160202	9002715250108	9 002715 250108 >
	20	SW 8	100	0933810500200202	9002715250115	9 002715 250115 >
	25	SW 8	100	0933810500250202	9002715250153	9 002715 250153 >
	30	SW 8	100	0933810500300202	9002715250160	9 002715 250160 >
	35	SW 8	100	0933810500350202	9002715250177	9 002715 250177 >
M6	12	SW 10	100	0933810600120202	9002715250191	9 002715 250191 >
	16	SW 10	100	0933810600160202	9002715250207	9 002715 250207 >
	20	SW 10	100	0933810600200202	9002715250214	9 002715 250214 >
	25	SW 10	100	0933810600250202	9002715250221	9 002715 250221 >
	30	SW 10	100	0933810600300202	9002715250238	9 002715 250238 >
	35	SW 10	100	0933810600350202	9002715250245	9 002715 250245 >
	40	SW 10	100	0933810600400202	9002715250252	9 002715 250252 >
	45	SW 10	100	0933810600450202	9002715250269	9 002715 250269 >
M8	16	SW 13	50	0933810800160202	9002715250290	9 002715 250290 >
	20	SW 13	50	0933810800200202	9002715250306	9 002715 250306 >
	25	SW 13	50	0933810800250202	9002715250320	9 002715 250320 >
	30	SW 13	50	0933810800300202	9002715250337	9 002715 250337 >
	35	SW 13	50	0933810800350202	9002715250344	9 002715 250344 >
	40	SW 13	50	0933810800400202	9002715250351	9 002715 250351 >
	45	SW 13	50	0933810800450202	9002715250368	9 002715 250368 >
	50	SW 13	50	0933810800500202	9002715250375	9 002715 250375 >
M10	20	SW 17	50	0933811000200202	9002715250399	9 002715 250399 >
	25	SW 17	50	0933811000250202	9002715250412	9 002715 250412 >
	30	SW 17	50	0933811000300202	9002715250429	9 002715 250429 >
	35	SW 17	50	0933811000350202	9002715250436	9 002715 250436 >
	40	SW 17	50	0933811000400202	9002715250443	9 002715 250443 >


>> Hex Bolts DIN 933

dimensions		drive [mm]	pcs./ unit	SSH item no.	EAN	
Size	L [mm]					
M10	45	SW 17	50	0933811000450202	9002715250450	9 002715 250450 >
	50	SW 17	50	0933811000500202	9002715250467	9 002715 250467 >
	60	SW 17	25	0933811000600202	9002715250474	9 002715 250474 >
	70	SW 17	25	0933811000700202	9002715250481	9 002715 250481 >
	80	SW 17	25	0933811000800202	9002715250498	9 002715 250498 >
M12	25	SW 19	50	0933811200250202	9002715250511	9 002715 250511 >
	30	SW 19	50	0933811200300202	9002715250528	9 002715 250528 >
	35	SW 19	50	0933811200350202	9002715250535	9 002715 250535 >
	40	SW 19	50	0933811200400202	9002715250542	9 002715 250542 >
	50	SW 19	50	0933811200500202	9002715250566	9 002715 250566 >
	60	SW 19	25	0933811200600202	9002715250573	9 002715 250573 >
	70	SW 19	25	0933811200700202	9002715250580	9 002715 250580 >
	80	SW 19	25	0933811200800202	9002715250597	9 002715 250597 >
M14	40	SW 22	25	0933811400400202	9002715639613	9 002715 639613 >
	50	SW 22	25	0933811400500202	9002715639620	9 002715 639620 >
M16	40	SW 24	25	0933811600400202	9002715250641	9 002715 250641 >
	50	SW 24	25	0933811600500202	9002715250665	9 002715 250665 >
	60	SW 24	25	0933811600600202	9002715250672	9 002715 250672 >

Socket Head Screw DIN 912

inside hex screw, socket head, steel 8.8

 zinc plated





dimensions		drive [mm]	pcs./ unit	SSH item no.	EAN	
Size	L [mm]					
M5	16	SW 4	100	0912810500160202	9002715545938	9 002715 545938 >
	20	SW 4	100	0912810500200202	9002715545945	9 002715 545945 >
M6	16	SW 5	100	0912810600160202	9002715545969	9 002715 545969 >
	20	SW 5	100	0912810600200202	9002715545976	9 002715 545976 >
	25	SW 5	100	0912810600250202	9002715545983	9 002715 545983 >
	30	SW 5	100	0912810600300202	9002715545990	9 002715 545990 >
	40	SW 5	100	0912810600400202	9002715546003	9 002715 546003 >
	50	SW 5	100	0912810600500202	9002715546010	9 002715 546010 >
M8	16	SW 6	50	0912810800160202	9002715546027	9 002715 546027 >
	20	SW 6	50	0912810800200202	9002715546034	9 002715 546034 >
	25	SW 6	50	0912810800250202	9002715546041	9 002715 546041 >
	30	SW 6	50	0912810800300202	9002715546058	9 002715 546058 >
	40	SW 6	50	0912810800400202	9002715546065	9 002715 546065 >
	50	SW 6	50	0912810800500202	9002715546072	9 002715 546072 >
	60	SW 6	50	0912810800600202	9002715639859	9 002715 639859 >
M10	30	SW 8	50	0912811000300202	9002715639873	9 002715 639873 >
	40	SW 8	50	0912811000400202	9002715639880	9 002715 639880 >
	60	SW 8	25	0912811000600202	9002715639897	9 002715 639897 >
	80	SW 8	25	0912811000800202	9002715639903	9 002715 639903 >

Machine Screws DIN 965

cross recess-type H, countersunk head, steel

 zinc plated




dimensions		drive	pcs./ unit	SSH item no.	EAN	
Size	L [mm]					
M3	12	PH 1	200	0965410300120202	9002715271288	9 002715 271288 >
	16	PH 1	200	0965410300160202	9002715271295	9 002715 271295 >
	20	PH 1	200	0965410300200202	9002715271301	9 002715 271301 >
	25	PH 1	200	0965410300250202	9002715271318	9 002715 271318 >
	30	PH 1	200	0965410300300202	9002715271325	9 002715 271325 >
M4	12	PH 2	200	0965410400120202	9002715271332	9 002715 271332 >
	16	PH 2	200	0965410400160202	9002715271349	9 002715 271349 >
	20	PH 2	200	0965410400200202	9002715271356	9 002715 271356 >
	25	PH 2	200	0965410400250202	9002715271363	9 002715 271363 >
	30	PH 2	200	0965410400300202	9002715271370	9 002715 271370 >
M5	16	PH 2	100	0965410500160202	9002715271394	9 002715 271394 >
	20	PH 2	100	0965410500200202	9002715271912	9 002715 271912 >
	30	PH 2	100	0965410500300202	9002715271929	9 002715 271929 >
	40	PH 2	100	0965410500400202	9002715271936	9 002715 271936 >
	50	PH 2	100	0965410500500202	9002715271943	9 002715 271943 >
	60	PH 2	50	0965410500600202	9002715271950	9 002715 271950 >
	80	PH 2	50	0965410500800202	9002715271967	9 002715 271967 >
M6	16	PH 3	100	0965410600160202	9002715271974	9 002715 271974 >
	20	PH 3	100	0965410600200202	9002715271981	9 002715 271981 >
	30	PH 3	100	0965410600300202	9002715271998	9 002715 271998 >
	40	PH 3	100	0965410600400202	9002715272001	9 002715 272001 >
	50	PH 3	100	0965410600500202	9002715272018	9 002715 272018 >
	60	PH 3	50	0965410600600202	9002715272025	9 002715 272025 >
	80	PH 3	50	0965410600800202	9002715272032	9 002715 272032 >

Machine Screws DIN 7985

cross recess - type H, panhead, steel

 zinc plated















dimensions		drive	pcs./ unit	SSH item no.	EAN	
Size	L [mm]					
M3	12	PH 1	200	7985010300120202	9002715271387	9 002715 271387 >
	16	PH 1	200	7985010300160202	9002715272049	9 002715 272049 >
	20	PH 1	200	7985010300200202	9002715272056	9 002715 272056 >
	25	PH 1	200	7985010300250202	9002715272063	9 002715 272063 >
	30	PH 1	200	7985010300300202	9002715272070	9 002715 272070 >
M4	12	PH 2	200	7985010400120202	9002715272087	9 002715 272087 >
	16	PH 2	200	7985010400160202	9002715272094	9 002715 272094 >
	20	PH 2	200	7985010400200202	9002715272100	9 002715 272100 >
	30	PH 2	200	7985010400300202	9002715272117	9 002715 272117 >
	40	PH 2	200	7985010400400202	9002715272124	9 002715 272124 >
M5	16	PH 2	100	7985010500160202	9002715272131	9 002715 272131 >
	20	PH 2	100	7985010500200202	9002715272148	9 002715 272148 >
	30	PH 2	100	7985010500300202	9002715272155	9 002715 272155 >
	40	PH 2	100	7985010500400202	9002715272162	9 002715 272162 >
	50	PH 2	100	7985010500500202	9002715272179	9 002715 272179 >
M6	16	PH 3	100	7985010600160202	9002715272186	9 002715 272186 >
	20	PH 3	100	7985010600200202	9002715272193	9 002715 272193 >
	30	PH 3	100	7985010600300202	9002715272209	9 002715 272209 >
	40	PH 3	100	7985010600400202	9002715272216	9 002715 272216 >
	50	PH 3	100	7985010600500202	9002715272223	9 002715 272223 >
	60	PH 3	50	7985010600600202	9002715272230	9 002715 272230 >

Threaded Rods DIN 975

Steel 4.6,

 zinc plated




dimensions		pcs./ unit	Colour	SSH item no.	EAN	
Size	L [mm]					
M3	1000	10		0975410300000202	9002715268783	9 002715 268783 >
M4	1000	10		0975410400000202	9002715268790	9 002715 268790 >
M5	1000	10		0975410500000202	9002715268806	9 002715 268806 >
M6	1000	10		0975410600000202	9002715268752	9 002715 268752 >
M8	1000	10		0975410800000202	9002715268769	9 002715 268769 >
M10	1000	10		0975411000000202	9002715268721	9 002715 268721 >
M12	1000	10		0975411200000202	9002715268622	9 002715 268622 >
M14	1000	10		0975411400000202	9002715268776	9 002715 268776 >
M16	1000	10		0975411600000202	9002715268615	9 002715 268615 >
M18	1000	10		0975411800000202	9002715271127	9 002715 271127 >
M20	1000	10		0975412000000202	9002715268813	9 002715 268813 >

Rod Coupling Nuts DIN 6334

Hex drive, steel

 zinc plated



dimensions		drive s [mm]	pcs./ unit	SSH iteMno.	EAN	
Size	M [mm]					
M5	15.0	SW 8	25	6334010500000202	9002715272254	9 002715 272254 >
M6	18.0	SW 10	25	6334010600000202	9002715272261	9 002715 272261 >
M8	24.0	SW 13	25	6334010800000202	9002715272278	9 002715 272278 >
M10	30.0	SW 17	25	6334011000000202	9002715272285	9 002715 272285 >
M12	36.0	SW 19	25	6334011200000202	9002715272292	9 002715 272292 >
M14	42.0	SW 22	25	6334011400000202	9002715272308	9 002715 272308 >
M16	48.0	SW 24	25	6334011600000202	9002715272315	9 002715 272315 >



Lock Washers DIN 127

steel

 zinc plated


Size	dimensions			pcs./ unit	SSH iteMno.	EAN	
	d2 [mm]	d1 [mm]	s [mm]				
M4	7.6	4.1	0.9	500	0127910400000202	9002715256803	9 002715 256803 >
M5	9.2	5.1	1.2	200	0127910500000202	9002715256810	9 002715 256810 >
M6	11.8	6.1	1.6	200	0127910600000202	9002715256827	9 002715 256827 >
M8	14.8	8.1	2.0	100	0127910800000202	9002715256834	9 002715 256834 >
M10	18.1	10.2	2.2	100	0127911000000202	9002715256841	9 002715 256841 >
M12	21.1	12.2	2.5	100	0127911200000202	9002715256858	9 002715 256858 >
M14	24.1	14.2	3.0	100	0127911400000202	9002715270861	9 002715 270861 >
M16	27.4	16.2	3.5	50	0127911600000202	9002715256865	9 002715 256865 >
M20	33.6	20.2	4.0	25	0127912000000202	9002715270915	9 002715 270915 >

Flat Washers DIN 134

steel


 zinc plated


Size	dimensions			pcs./ unit	SSH iteMno.	EAN	
	d2 [mm]	d1 [mm]	s [mm]				
M3	8.0	3.2	0.5	500	0134410300000202	9002715256698	9 002715 256698 >
M4	10.0	4.3	0.8	500	0134410400000202	9002715256704	9 002715 256704 >
M5	12.0	5.3	1.0	200	0134410500000202	9002715256711	9 002715 256711 >
M6	14.0	6.4	1.5	200	0134410600000202	9002715256728	9 002715 256728 >
M8	18.0	8.4	2.0	100	0134410800000202	9002715256735	9 002715 256735 >
M10	22.0	10.5	2.5	100	0134411000000202	9002715256742	9 002715 256742 >
M12	28.0	13.0	3.0	100	0134411200000202	9002715256759	9 002715 256759 >
M14	28.0	15.0	3.0	100	0134411400000202	9002715270830	9 002715 270830 >
M16	34.0	17.0	3.0	50	0134411600000202	9002715256766	9 002715 256766 >
M18	40.0	19.0	4.0	50	0134411800000202	9002715270847	9 002715 270847 >
M20	40.0	21.0	4.0	25	0134412000000202	9002715270854	9 002715 270854 >

Square Washers DIN 436

steel

 zinc plated




Size	dimensions			pcs./ unit	SSH iteMno.	EAN	
	d1 [mm]	d2 [mm]	s [mm]				
M10	11.0	30.0	3.0	50	0436411100000202	9002715268141	9 002715 268141 >
M12	13.5	40.0	4.0	50	0436411300000202	9002715268158	9 002715 268158 >
M16	17.5	50.0	5.0	25	0436411700000202	9002715268165	9 002715 268165 >
M20	22.0	60.0	5.0	25	0436412200000202	9002715271134	9 002715 271134 >

Flat Washers for Timber Construction DIN 440R

steel

 zinc plated




Size	dimensions			pcs./ unit	SSH iteMno.	EAN	
	d1 [mm]	d2 [mm]	s [mm]				
M10	11.0	34.0	3.0	50	0440411100000202	9002715639965	9 002715 639965 >
M12	13.5	45.0	4.0	50	0440411300000202	9002715639989	9 002715 639989 >
M16	17.5	58.0	5.0	25	0440411700000202	9002715639996	9 002715 639996 >
M20	22.0	68.0	5.0	25	0440412200000202	9002715640008	9 002715 640008 >



Flat Washers DIN 9021

steel

 zinc plated




Size	dimensions			pcs./ unit	SSH iteMno.	EAN	
	d2 [mm]	d1 [mm]	s [mm]				
M4	12.0	4.3	1.0	500	9021010400000202	9002715271110	9 002715 271110 >
M5	15.0	5.3	1.2	200	9021010500000202	9002715271691	9 002715 271691 >
M6	18.0	6.4	1.6	200	9021010600000202	9002715271707	9 002715 271707 >
M8	24.0	8.4	2.0	100	9021010800000202	9002715271714	9 002715 271714 >
M10	30.0	10.5	2.5	100	9021011000000202	9002715271721	9 002715 271721 >
M12	37.0	13.0	3.0	100	9021011200000202	9002715271738	9 002715 271738 >
M16	50.0	17.0	3.0	50	9021011600000202	9002715271745	9 002715 271745 >

Fender Washers

steel

 zinc plated



Size	dimensions			pcs./ unit	SSH iteMno.	EAN	
	d2 [mm]	d1 [mm]	s [mm]				
M4	30.0	4.3	1.25	200	5990010430300202	9002715268080	9 002715 268080 >
M5	30.0	5.3	1.25	200	5990010530300202	9002715268110	9 002715 268110 >
M6	30.0	6.4	1.25	200	5990010640300202	9002715268127	9 002715 268127 >
M8	30.0	8.4	1.25	100	5990010840300202	9002715268134	9 002715 268134 >
M10	30.0	10.5	1.25	100	5990011050300202	9002715268103	9 002715 268103 >
M12	32.0	13.0	1.25	100	5990011300320202	9002715268097	9 002715 268097 >

Hex Nuts DIN 934

steel 8.8

 zinc plated




dimensions		drive [mm]	pcs./ unit	SSH item no.	EAN	
Size	m [mm]					
M3	2.4	SW 5.5	500	0934810300000202	9002715250788	9 002715 250788 >
M4	3.2	SW 7	500	0934810400000202	9002715250795	9 002715 250795 >
M5	4.0	SW 8	200	0934810500000202	9002715250801	9 002715 250801 >
M6	5.0	SW 10	200	0934810600000202	9002715250818	9 002715 250818 >
M8	6.5	SW 13	100	0934810800000202	9002715250825	9 002715 250825 >
M10	8.0	SW 17	100	0934811000000202	9002715250832	9 002715 250832 >
M12	10.0	SW 19	100	0934811200000202	9002715250849	9 002715 250849 >
M14	11.0	SW 22	100	0934811400000202	9002715250856	9 002715 250856 >
M16	13.0	SW 24	50	0934811600000202	9002715250863	9 002715 250863 >
M18	15.0	SW 27	50	0934811800000202	9002715270809	9 002715 270809 >
M20	16.0	SW 30	25	0934812000000202	9002715250870	9 002715 250870 >

Wing Nuts DIN 315

steel

 zinc plated




dimensions			pcs./ unit	SSH item no.	EAN	
Size	d2 [mm]	h [mm]				
M4	20.0	6.0	100	0315010400000202	9002715271103	9 002715 271103 >
M5	25.0	8.0	100	0315010500000202	9002715271646	9 002715 271646 >
M6	32.0	10.0	100	0315010600000202	9002715271653	9 002715 271653 >
M8	40.0	13.0	50	0315010800000202	9002715271660	9 002715 271660 >
M10	50.0	17.0	50	0315011000000202	9002715271677	9 002715 271677 >
M12	64.0	20.0	25	0315011200000202	9002715271684	9 002715 271684 >



Lock Nuts DIN 985

steel

 zinc plated




Size	dimensions		drive [mm]	pcs./ unit	SSH item no.	EAN	
	m [mm]	h [mm]					
M4	3.2	5.0	SW 7	200	0985810400000202	9002715271080	9 002715 271080 >
M5	3.5	5.0	SW 8	100	0985810500000202	9002715271141	9 002715 271141 >
M6	4.5	6.0	SW 10	100	0985810600000202	9002715271158	9 002715 271158 >
M8	6.0	8.0	SW 13	100	0985810800000202	9002715271165	9 002715 271165 >
M10	7.0	10.0	SW 17	50	0985811000000202	9002715271172	9 002715 271172 >
M12	9.0	12.0	SW 19	25	0985811200000202	9002715271189	9 002715 271189 >
M14	10.0	14.0	SW 22	25	0985811400000202	9002715271196	9 002715 271196 >
M16	11.0	16.0	SW 24	25	0985811600000202	9002715271202	9 002715 271202 >

Cap Nuts DIN 1587

steel

 zinc plated



Size	dimensions		drive [mm]	pcs./ unit	SSH item no.	EAN	
	m [mm]	h [mm]					
M4	3.2	8.0	SW 7	100	1587610400000202	9002715270816	9 002715 270816 >
M5	4.0	10.0	SW 8	100	1587610500000202	9002715271219	9 002715 271219 >
M6	5.0	12.0	SW 10	100	1587610600000202	9002715271226	9 002715 271226 >
M8	6.5	15.0	SW 13	100	1587610800000202	9002715271233	9 002715 271233 >
M10	8.0	18.0	SW 17	50	1587611000000202	9002715271240	9 002715 271240 >
M12	10.0	22.0	SW 18	25	1587611200000202	9002715271257	9 002715 271257 >
M14	11.0	25.0	SW 22	25	1587611400000202	9002715271264	9 002715 271264 >
M16	13.0	28.0	SW 24	25	1587611600000202	9002715271271	9 002715 271271 >

Bit for StarDrive Pe-Packing



dimensions	pcs./ unit	packages/ unit	SSH item no.	EAN	
drive					
T10	2	10	5930900100001754	9002715667203	9 002715 667203 >
T20	2	10	5930900200001754	9002715667210	9 002715 667210 >
T25	2	10	5930900250001754	9002715667227	9 002715 667227 >
T30	2	10	5930900300001754	9002715667234	9 002715 667234 >
T40	2	10	5930900400001754	9002715667241	9 002715 667241 >
assortment	5	10	5930900000001754	9002715667197	9 002715 667197 >

Magnetic Ringbit Holder

perfectly fixed screw for one-hand-operations
- adjustable bit depth



dimensions	pcs./ unit	packages/ unit	SSH item no.	EAN	
drive					
PZ 2	1	5	5932900000001754	9002715667296	9 002715 667296 >